Chemistry and Physics of Lipids, 58 (1991) 259—262
Elsevier Scientific Publishers Ireland Ltd.

Subject Index

Volume 58 (1991)

acylglycerols, ^{13}C-NMR spectra, monoacylglycerols, diacylglycerols, triacylglyerols, 219
acyl chain length, cholesterol, phospholipids, mixtures, saturation, calorimetry, 169
3β-alkoxy-5α-cholestane, 3β-(*rac*-1,2-di-(tridecoxy)propoxy)-cholest-5-ene, 3β-alkoxycholest-5-ene, 3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)tridecoxy)cholest-5-ene, 3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), liquid crystals, mesomorphic phase transitions, 105
3β-alkoxycholest-5-ene, 3β-(*rac*-1,2-di-(tridecoxy)propoxy)-cholest-5-ene, 3β-alkoxycholest-5-ene, 3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)tridecoxy)cholest-5-ene, 3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), liquid crystals, mesomorphic phase transitions, 105
analogs, lung surfactant, phospholipids, glycerophospholipids, ether-amide phosphonolipids, synthesis, surface activity, 81
anthracene derivatives, lipid probes, monolayers, bilayers, phase transition, fluorescence polarization, 7
antitumor agent, nitroxide, spin probe, electron resonance, ether phospholipid, leukemic cells, 19
aquilegia oil, ^{13}C-NMR spectra, Umbelliferae oils, meadowfoam oil, petroselinic acid, columbinic acid, fatty acid distribution between α and β chains, 159
archaebacteria, *Thermoplasma acidophilum*, tetraether lipid, differential thermoanalysis, calorimetry, phase transitions, 233

bilayers, anthracene derivatives, lipid probes, monolayers, phase transition, fluorescence polarization, 7
binary mixture, phase diagram, NMR-^{2}H gel phase miscibility, 63
biomembranes, unsaturated hydrocarbon chains, flexibility, conformational analysis, computer simulation, Monte Carlo method, 185

calorimetry, cholesterol, phospholipids, mixtures, saturation, acyl chain length, 169
calorimetry, *Thermoplasma acidophilum*, tetraether lipid, differential thermoanalysis, phase transitions, archaebacteria, 233
charge-transfer complexes, plastoquinone, α-tocopherol quinone, fatty acids, 27
chiral lipid bilayers, helical and tubular structures, crystalline array of helical chains, highly anisotropic crystalline packing, 253
chlorination, linoleic acid, chlorohydrins, 213
chlorohydrins, linoleic acid, chlorination, 213
3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), 3β-alkoxycholest-5-ene, 3β-alkoxy-5α-cholestane, 3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)tridecoxy)cholest-5-ene, 3β-(*rac*-1,2-di-(tridecoxy)propoxy)cholest-5-ene, liquid crystals, mesomorphic phase transitions, 105
cholesterol, phospholipids, mixtures, saturation, acyl chain length, calorimetry, 169
cholesterol, vesicles, phosphatidylcholine, ^{1}H-NMR, 241
columbinic acid, ^{13}C-NMR spectra, Umbelliferae oils, aquilegia oil, meadowfoam oil, petroselinic acid, fatty acid distribution between α and β chains, 159
computer simulation, biomembranes, unsaturated hydrocarbon chains, flexibility, conformational analysis, Monte Carlo method, 185
conformational analysis, biomembranes, unsaturated hydrocarbon chains, flexibility, computer simulation, Monte Carlo method, 185
contaminants, insoluble monolayers, surface potential, 249
cryoelectron microscopy, detergents, liposomes, entrapment, membrane holes, lamellarity, 121
crystalline array of helical chains, helical and tubular structures, chiral lipid bilayers, highly anisotropic crystalline packing, 253
crystallization, triglycerides, polymorphism, tripalmitin, tristearin, melting behaviour, miscibility, 145
cyclic glycerophospholipids, thiophosphates, dehydroisoandrosterone, diastereoisomers, hexaethyltriamide of phosphorous acid, 193
3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)tridecoxy)cholest-5-ene, 3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), 3β-alkoxycholest-5-ene, 3β-alkoxy-5α-cholestane, 3β-(*rac*-1,2-di-(tridecoxy)propoxy)cholest-5-ene, liquid crystals, mesomorphic phase transitions, 105

dehydroisoandrosterone, cyclic glycerophospholipids, thiophosphates, diastereoisomers, hexaethyltriamide of phosphorous acid, 193
detergents, liposomes, entrapment, membrane holes, lamellarity, cryoelectron microscopy, 121
deuterium NMR, phosphorus-31 NMR, lipid hydration, lipid headgroup, model membranes, phosphocholine dipole, 1
diacetylene, polymerizable lipid, X-ray structure, tubule, 41
diacylglycerols, ^{13}C-NMR spectra, acylglycerols, monoacylglycerols, triacylglyerols, 219
diacylglycerols, triaclyglycerols, glycidol, stereochemical analysis, stereoselective synthesis, 35

diastereoisomers, cyclic glycerophospholipids, thiophosphates, dehydroisoandrosterone, hexaethyltriamide of phosphorous acid, 193
differential scanning calorimetry (DSC), triglycerides, polymorphism, tripalmitin, tristearin, melting behaviour, synchrotron radiation, 131
differential thermoanalysis, *Thermoplasma acidophilum*, tetraether lipid, calorimetry, phase transitions, archaebacteria, 233
dimyristoylphosphatidylcholine, DMPC, model membrane, propranolol, local anesthetics, phase transition, quasielastic light scattering, 225
dipalmitoylphosphatidylcholine, high pressure, ^{2}H-NMR, gel phases, 97
dipalmitoylphosphatidylcholine, lung surfactant, NMR chemical shift anisotropy, surfactant apolipoprotein B/C, 55
dipalmitoyl phosphatidylcholine, tributyltin chloride, tributyltin acetate, liposomes, FT-IR, DSC, 73
DMPC, dimyristoylphosphatidylcholine, model membrane, propranolol, local anesthetics, phase transition, quasielastic light scattering, 225
DMPC-d_{54}, ^{19}F-NMR, ^{2}H-NMR, fluorosterols, HDL, 175
DSC, tributyltin chloride, tributyltin acetate, dipalmitoyl phosphatidylcholine, liposomes, FT-IR, 73

electron resonance, nitroxide, spin probe, ether phospholipid, antitumor agent, leukemic cells, 19
entrapment, detergents, liposomes, membrane holes, lamellarity, cryoelectron microscopy, 121
ether-amide phosphonolipids, lung surfactant, phospholipids, glycerophospholipids, analogs, synthesis, surface activity, 81
ether phospholipid, nitroxide, spin probe, electron resonance, antitumor agent, leukemic cells, 19

fatty acids, charge-transfer complexes, plastoquinone, α-tocopherol quinone, 27
fatty acid distribution between α and β chains, ^{13}C-NMR spectra, Umbelliferae oils, aquilegia oil, meadowfoam oil, petroselinic acid, columbinic acid, 159
fatty acid metabolism, fluorescent fatty acids, fluorescent lipids, fatty acid transport, HepG2 cells, 111
fatty acid transport, fatty acid metabolism, fluorescent fatty acids, fluorescent lipids, HepG2 cells, 111
flexibility, biomembranes, unsaturated hydrocarbon chains, conformational analysis, computer simulation, Monte Carlo method, 185
fluorescence polarization, anthracene derivatives, lipid probes, monolayers, bilayers, phase transition, 7
fluorescent fatty acids, fatty acid metabolism, fluorescent lipids, fatty acid transport, HepG2 cells, 111
fluorescent glycosphingolipids, lipid domains, liposomes, membrane probes, 199
fluorescent lipids, fatty acid metabolism, fluorescent fatty acids, fatty acid transport, HepG2 cells, 111
fluorosterols, ^{19}F-NMR, ^{2}H-NMR, HDL, DMPC-d_{54}, 175
FT-IR, tributyltin chloride, tributyltin acetate, dipalmitoyl phosphatidylcholine, liposomes, DSC, 73

gel phases, high pressure, ^{2}H-NMR, dipalmitoylphosphatidylcholine, 97
glycerophospholipids, lung surfactant, phospholipids, ether-amide phosphonolipids, analogs, synthesis, surface activity, 81
glycidol, diacylglycerols, triaclyglycerols, stereochemical analysis, stereoselective synthesis, 35

HDL, ^{19}F-NMR, ^{2}H-NMR, fluorosterols, DMPC-d_{54}, 175
helical and tubular structures, chiral lipid bilayers, crystalline array of helical chains, highly anisotropic crystalline packing, 253
HepG2 cells, fatty acid metabolism, fluorescent fatty acids, fluorescent lipids, fatty acid transport, 111
hexaethyltriamide of phosphorous acid, cyclic glycerophospholipids, thiophosphates, dehydroisoandrosterone, diastereoisomers, 193
highly anisotropic crystalline packing, helical and tubular structures, chiral lipid bilayers, crystalline array of helical chains, 253
high pressure, ^{2}H-NMR, dipalmitoylphosphatidylcholine, gel phases, 97

insoluble monolayers, surface potential, contaminants, 249

lamellarity, detergents, liposomes, entrapment, membrane holes, cryoelectron microscopy, 121
leukemic cells, nitroxide, spin probe, electron resonance, ether phospholipid, antitumor agent, 19
linoleic acid, chlorination, chlorohydrins, 213
lipid domains, fluorescent glycosphingolipids, liposomes, membrane probes, 199
lipid headgroup, deuterium NMR, phosphorus-31 NMR, lipid hydration, model membranes, phosphocholine dipole, 1
lipid hydration, deuterium NMR, phosphorus-31 NMR, lipid headgroup, model membranes, phosphocholine dipole, 1
lipid probes, anthracene derivatives, monolayers, bilayers, phase transition, fluorescence polarization, 7
liposomes, detergents, entrapment, membrane holes, lamellarity, cryoelectron microscopy, 121
liposomes, fluorescent glycosphingolipids, lipid domains, membrane probes, 199
liposomes, tributyltin chloride, tributyltin acetate, dipalmitoyl phosphatidylcholine, FT-IR, DSC, 73
liquid crystals, 3β-alkoxycholest-5-ene, 3β-alkoxy-5α-cholestane, 3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)tridecoxy)cholest-5-ene, 3β-(*rac*-1,2-di-(tridecoxy)propoxy)cholest-5-ene, 3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), mesomorphic phase transitions, 105
local anesthetics, dimyristoylphosphatidylcholine, DMPC, model membrane, propranolol, phase transition, quasielastic light scattering, 225

lung surfactant, dipalmitoylphosphatidylcholine, NMR chemical shift anisotropy, surfactant apolipoprotein B/C, 55
lung surfactant, phospholipids, glycerophospholipids, ether-amide phosphonolipids, analogs, synthesis, surface activity, 81

meadowfoam oil, ^{13}C-NMR spectra, Umbelliferae oils, aquilegia oil, petroselinic acid, columbinic acid, fatty acid distribution between α and β chains, 159
melting behaviour, triglycerides, polymorphism, tripalmitin, tristearin, crystallization, miscibility, 145
melting behaviour, triglycerides, polymorphism, tripalmitin, tristearin, synchrotron radiation, differential scanning calorimetry (DSC), 131
membrane holes, detergents, liposomes, entrapment, lamellarity, cryoelectron microscopy, 121
membrane probes, fluorescent glycosphingolipids, lipid domains, liposomes, 199
mesomorphic phase transitions, 3β-alkoxycholest-5-ene, 3β-alkoxy-5α-cholestane, 3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)-tridecoxy)cholest-5-ene, 3β-(*rac*-1,2-di-(tridecoxy)propoxy)cholest-5-ene, 3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), liquid crystals, 105
miscibility, triglycerides, polymorphism, tripalmitin, tristearin, melting behaviour, crystallization, 145
mixtures, cholesterol, phospholipids, saturation, acyl chain length, calorimetry, 169
model membrane, dimyristoylphosphatidylcholine, DMPC, propranolol, local anesthetics, phase transition, quasielastic light scattering, 225
model membranes, deuterium NMR, phosphorus-31 NMR, lipid hydration, lipid headgroup, phosphocholine dipole, 1
monoacylglycerols, ^{13}C-NMR spectra, acylglycerols, diacylglycerols, triacylglyerols, 219
monolayers, anthracene derivatives, lipid probes, bilayers, phase transition, fluorescence polarization, 7
Monte Carlo method, biomembranes, unsaturated hydrocarbon chains, flexibility, conformational analysis, computer simulation, 185

nitroxide, spin probe, electron resonance, ether phospholipid, antitumor agent, leukemic cells, 19
NMR-^{2}H gel phase miscibility, binary mixture, phase diagram, 63
NMR chemical shift anisotropy, lung surfactant, dipalmitoylphosphatidylcholine, surfactant apolipoprotein B/C, 55
^{13}C-NMR spectra, acylglycerols, monoacylglycerols, diacylglycerols, triacylglyerols, 219
^{13}C-NMR spectra, Umbelliferae oils, aquilegia oil, meadowfoam oil, petroselinic acid, columbinic acid, fatty acid distribution between α and β chains, 159
^{19}F-NMR, ^{2}H-NMR, fluorosterols, HDL, DMPC-d_{54}, 175
^{1}H-NMR, vesicles, phosphatidylcholine, cholesterol, 241
^{2}H-NMR, ^{19}F-NMR, fluorosterols, HDL, DMPC-d_{54}, 175
^{2}H-NMR, high pressure, dipalmitoylphosphatidylcholine, gel phases, 97

petroselinic acid, ^{13}C-NMR spectra, Umbelliferae oils, aquilegia oil, meadowfoam oil, columbinic acid, fatty acid distribution between α and β chains, 159
phase diagram, binary mixture, NMR-^{2}H gel phase miscibility, 63
phase transition, dimyristoylphosphatidylcholine, DMPC, model membrane, propranolol, local anesthetics, quasielastic light scattering, 225
phase transition, anthracene derivatives, lipid probes, monolayers, bilayers, fluorescence polarization, 7
phase transitions, *Thermoplasma acidophilum*, tetraether lipid, differential thermoanalysis, calorimetry, archaebacteria, 233
phosphatidylcholine, vesicles, cholesterol, ^{1}H-NMR, 241
phosphocholine dipole, deuterium NMR, phosphorus-31 NMR, lipid hydration, lipid headgroup, model membranes, 1
phospholipids, cholesterol, mixtures, saturation, acyl chain length, calorimetry, 169
phospholipids, lung surfactant, glycerophospholipids, ether-amide phosphonolipids, analogs, synthesis, surface activity, 81
phosphorus-31 NMR, deuterium NMR, lipid hydration, lipid headgroup, model membranes, phosphocholine dipole, 1
plastoquinone, charge-transfer complexes, α-tocopherol quinone, fatty acids, 27
polymerizable lipid, diacetylene, X-ray structure, tubule, 41
polymorphism, triglycerides, tripalmitin, tristearin, melting behaviour, crystallization, miscibility, 145
polymorphism, triglycerides, tripalmitin, tristearin, melting behaviour, synchrotron radiation, differential scanning calorimetry (DSC), 131
propranolol, dimyristoylphosphatidylcholine, DMPC, model membrane, local anesthetics, phase transition, quasielastic light scattering, 225

quasielastic light scattering, dimyristoylphosphatidylcholine, DMPC, model membrane, propranolol, local anesthetics, phase transition, 225

3β-(*rac*-1,2-di-(tridecoxy)propoxy)cholest-5-ene, 3β-alkoxycholest-5-ene, 3β-alkoxy-5α-cholestane, 3β-(*R*-(+)-13-(cyclopent-2-en-1-yl)tridecoxy)cholest-5-ene, 3β-(3β-cholest-5-enoxy)-cholest-5-ene(dicholesteryl ether), liquid crystals, mesomorphic phase transitions, 105

saturation, cholesterol, phospholipids, mixtures, acyl chain length, calorimetry, 169
spin probe, nitroxide, electron resonance, ether phospholipid, antitumor agent, leukemic cells, 19
stereochemical analysis, diacylglycerols, triaclyglycerols, glycidol, stereoselective synthesis, 35

stereoselective synthesis, diacylglycerols, triaclyglycerols, glycidol, stereochemical analysis, 35
surface activity, lung surfactant, phospholipids, glycerophospholipids, ether-amide phosphonolipids, analogs, synthesis, 81
surface potential, insoluble monolayers, contaminants, 249
surfactant apolipoprotein B/C, lung surfactant, dipalmitoylphosphatidylcholine, NMR chemical shift anisotropy, 55
synchrotron radiation, triglycerides, polymorphism, tripalmitin, tristearin, melting behaviour, differential scanning calorimetry (DSC), 131
synthesis, lung surfactant, phospholipids, glycerophospholipids, ether-amide phosphonolipids, analogs, surface activity, 81

tetraether lipid, *Thermoplasma acidophilum*, differential thermoanalysis, calorimetry, phase transitions, archaebacteria, 233
Thermoplasma acidophilum, tetraether lipid, differential thermoanalysis, calorimetry, phase transitions, archaebacteria, 233
thiophosphates, cyclic glycerophospholipids, dehydroisoandrosterone, diastereoisomers, hexaethyltriamide of phosphorous acid, 193
α-tocopherol quinone, charge-transfer complexes, plastoquinone, fatty acids, 27
triaclyglycerols, diacylglycerols, glycidol, stereochemical analysis, stereoselective synthesis, 35
triacylglyerols, ^{13}C-NMR spectra, acylglycerols, monoacylglycerols, diacylglycerols, 219
tributyltin acetate, tributyltin chloride, dipalmitoyl phosphatidylcholine, liposomes, FT-IR, DSC, 73
tributyltin chloride, tributyltin acetate, dipalmitoyl phosphatidylcholine, liposomes, FT-IR, DSC, 73
triglycerides, polymorphism, tripalmitin, tristearin, melting behaviour, crystallization, miscibility, 145
triglycerides, polymorphism, tripalmitin, tristearin, melting behaviour, synchrotron radiation, differential scanning calorimetry (DSC), 131
tripalmitin, triglycerides, polymorphism, tristearin, melting behaviour, crystallization, miscibility, 145
tripalmitin, triglycerides, polymorphism, tristearin, melting behaviour, synchrotron radiation, differential scanning calorimetry (DSC), 131
tristearin, triglycerides, polymorphism, tripalmitin, melting behaviour, crystallization, miscibility, 145
tristearin, triglycerides, polymorphism, tripalmitin, melting behaviour, synchrotron radiation, differential scanning calorimetry (DSC), 131
tubule, polymerizable lipid, diacetylene, X-ray structure, 41

Umbelliferae oils, ^{13}C-NMR spectra, aquilegia oil, meadowfoam oil, petroselinic acid, columbinic acid, fatty acid distribution between α and β chains, 159
unsaturated hydrocarbon chains, biomembranes, flexibility, conformational analysis, computer simulation, Monte Carlo method, 185

vesicles, phosphatidylcholine, cholesterol, ^{1}H-NMR, 241

X-ray structure, polymerizable lipid, diacetylene, tubule, 41

Chemistry and Physics of Lipids, 58 (1991) 263
Elsevier Scientific Publishers Ireland Ltd.

Author Index

Volume 58 (1991)

Ambrosini, A. 73
Azize, B. 225

Bechinger, B. 1
Bergelson, L.D. 199
Bertoli, E. 73
Bhongle, N.N. 81
Blechner, S.L. 41
Blöcher, D. 233
Brockman, H.L. 249

Cao, A. 225
Chappell, J.S. 253
Chi, L.-M. 241
Cresswell, S. 175

Driscoll, D.A. 97

Finegold, L. 169

Gee, A. 175
Gehrke, R. 131
Grandal, N. 63
Gronowitz, S. 193
Gunstone, F.D. 159, 219

Hammersley, A. 145
Hantz-Brachet, E. 225
Heyman, H.R. 81
Homan, R. 111
Hsieh, C.-H. 241

Imbs, A.B. 199

Jonas, A. 97
Jonas, J. 97
Joseph, J. 19

Kellens, M. 131, 145
Kruk, J. 27

Lai, C.-S. 19
Leu, S.-W. 241
Lin, W.H. 81
Lu, Z. 81

MacLachlan, L.K. 175
McKague, A.B. 213
Meeussen, W. 131, 145
Mikhalyov, I.I. 199
Molotkovsky, J.G. 199
Morris, W. 41
Morrow, M.R. 63
Motola, N.C. 81

Naylor, B.L. 111
Notter, R.H. 81

Perochon, E. 7
Perret, G. 225
Picardo, M. 111
Pivarnik, P.E. 81
Pownall, H.J. 111

Rabinovich, A.L. 185
Reeve, D.W. 213
Reid, D.G. 175
Reynaers, H. 131, 145
Rhodes, D.G. 41
Ring, K. 233
Ripatti, P.O. 185
Roth, H.J. 121

Salmon, A. 55
Schmidt, K.-H. 121
Schoen, P.E. 41
Schubert, R. 121
Seeling, J. 1
Shih, C.C.-Y 19
Shirali, S.S. 81
Singer, M.A. 169
Singh, A. 41
Smaby, J.M. 249
Sonnet, P.E. 35
Srinivasan, R. 63
Stamatov, S.D. 193
Strzalka, K. 27
Suckling, C.J. 175
Suckling, K.E. 175

Taillandier, E. 225
Tanfani, F. 73
Tocanne, J.-F. 7
Turcotte, J.G. 81

Vill, V. 105

Weber, N. 105
Wiedmann, T. 55
Wolburg, H. 121
Wu, W.-g. 241

Yager, P. 41, 253

Zolese, G. 73